
SECRET Approved For Release 2000,04/17eicClAsRDP78B04560A004700010026-9

PHOTOGRAPHIC INTERPRETATION REPORT

WEEKLY SUMMARY AIR AND NAVAL ORDER OF BATTLE NORTH VIETNAM 17-23 APRIL 1965



NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER




GROUP 1 Excluded from automatic dawngrading and declassificatio

NPIC/R-198/65

May 1965

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9



WARNING

This document contains information affecting the national defense of the United States, within the meaning of Title 18, sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law.

Approved For Release 2000/04/ETREIA-RDP78B04560A004700010026-9

NPIC/R-198/65

NO FOREIGN DISSEM

PREFACE

This weekly summary lists the air and naval order of battle imaged on photography covering North Vietnam. All active airfields and naval bases will be reported. Active targets are those where an order of battle has been observed since Inactive targets showing an order of battle will be reactivated.

Naval vessels observed in river naval areas, dispersal areas, or untargeted areas and aircraft observed in untargeted areas areas will be

 2) within the subject by WAC area, and 3) within the WAC area by geographic coordinates in ascending order.

Coverage on each target will be presented in chronological order. Aircraft and naval vessels observed in untargeted areas will be listed separately at the end of this report.

An explanation of column headings and photo references used in presenting the information is contained in the appendix.

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9

NOTE TO: Recapients of NPIC/R-198/65

The attached APPENDIX was ommitted in error from the subject report. It should be appreciated if you would insert missing page in its proper place.

Thank you,

NPIC REGISTRY

Approved For Release 2000/04/17 CRA-RDP78B04560A004700010026-9

NO FOREIGN DISSEM

NPIC/R-198/65

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

<u>WAC</u>--This column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the frame $\!(s)\!$ on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9

R-198/65

NO FOREIGN DISSEM

	Target	Coordinates	WAC	Target I	lumbers	
		Cooldingles	""	BE	NPIC	
•						
i a						
	-NORTH VIETNAM-					
17	4.0					
(AIR INSTALLATIONS					
	HAIPHONG/KIEN AN AIRFIELD	2048N: 10636E	Ø616		109-B	
25X1A			2010	17.3	15, 5	
25X1D	ALDCOAFT WONE DISCOURS OF					
05)/45	AIRCRAFT NONE DISCERNIBLE.					
25X1D	The same for the same of the s					
		G.				
	AIRCRAFT 4 CAB AND 1 COLT.					
25X1D						
	HAIPHONG/CAT BI AIRFIELD	2049N 10643E	Ø616		109-A	
25X1A						
25X1D					·	
	AIRCRAFT 1 COLT AND 6 PROBABLE MAX/MOOSE.					
25X1E	A risk of the commence of the time of time of the time of time of the time of time					
	AIRCRAFT 1 CAB AND 6 MAX/MOOSE.					
25X1D				9		
	DIEN BIEN PHU AIRFIELD	2123N 10301E	Ø616	No.	1Ø5	
25X1A	COMOR TARGET NO COMO COMO COMO COMO COMO COMO COMO C					
25X1D	AIRCRAFT 2 POSSIBLE CRATE.					
V	AINGMART 2 FUSSIBLE SURATES					
، ش ش			j			
25X1D	AVDCDAFT					
	AIRCRAFT 2 CRATE.					
25X1D						

Approved For Release 2000/04/15ECQFA-RDP78B04560A004700010026-9

R-198/65

NO FOREIGN DISSEM

г				Target Numbers	
	Target Coordinates	WAC	BE	NPIC	
25X1D 25X1D	AIRCRAFT ==== 2 CRATE.				
25X1A 25X1D	AIRCRAFT 2 CRATE.	2113N 10402E	Ø616		131
25X1D 25X1A 25X1D	HANGI/BAC MAI FAIRFIELD F	2100N 10550E	Ø616		112÷E ⅓
25X1D 25X1D	AIRCRAFT : 1 PROBABLE MAX AND 1 PROBABLE MOOSE.				
25X1A 25X1D	HANOI/GIA LAM AIRFIELD COMOR TARGET NO AIRCRAFT 4 CRATE, 5 CAB, 1 SMALL STRAIGHT- WING, AND 2 HOUND.	2102N 10553E	Ø616		114:
25X1D 25X1A 25X1D 25X1D	PHUC YEN AIRFIELD COMOR TARGET NO AIRCRAFT 37 FAGOT/FRESCO, 1 COLT, AND 19 DUMMY.	2113N 10548E	Ø616 ·	A Decide of	326-C (

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9 LLEGIB

Approved For Release 2000/04/衰程(食性格-RDP78B04560A004700010026-9

R-198/65

NO FOREIGN DISSEM Target Numbers WAC Coordinates Target 25X1D AIRCRAFT -- NONE OBSERVED. 25X1D AIRCRAFT -- NONE OBSERVED. 25X1D AIRCRAFT -- NONE OBSERVED. 25X1D MILITARY INSTALLATIONS 2058N 10704E Ø615 109-B HON GAY NAVAL BASE BAI CHAY COMOR TARGET NO 25X1A 25X1D VESSELS -- NONE OBSERVED. 25X1D 2112N 10734E Ø615 : 103 PORT WALLUT NAVAL BASE 25X1A COMOR TARGET NO 25X1D IDENTIFICATION ONLY. 25X1D 103-B 2112N 10734E Ø615 PORT WALLUT NAVAL DISPERSAL AREA 25X1D IDENTIFICATION ONLY. 25X1D 109-E 2052N 10640E Ø616 HAIPHONG NAVAL BASE COMOR TARGET NO 25X1A

4

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9 SECRET

NO FOREIGN DISSEM

R-198/65

ſ	Target	Coordinates	WAC	Target Numbers	
	i arget	Coordinates	WAC	BE	NPIC
(4					
·25X1D					
. 43	VESSELS 2 PROBABLE SWATOW AND 2 PC.				
25X1D	and the state of the sound of the state of t				
	IDENTIFICATION ONLY.		0.0		
25X1D					
	IDENTIFICATION ONLY.		0		
25X1D					
	VESSELS 1 SWATOW.				
25X1D	VESSEES I SWATON.				
	DONC HOT MANAL AREA	17200 174275	0417		100 61
05745	DONG HOI NAVAL AREA	1729N 10637E	Ø617		108-C1
25X1D	VESSELS NONE OBSERVED.				
25X1D	the create he will be a later the subminimum . I				
	VESSELS NONE OBSERVED.		0.0		
25X1D			0		
	QUANG KHE NAVAL BASE CUU DINH	1742N 10629E	0617		288
25X1A	COMOR TARGET NO				
25X1D	VESSELS NONE OBSERVED.				
. 3	VESSEES NONE OBSERVED.).		
25X1D					
	VESSELS NONE OBSERVED.				
25X1D	ACOURT HOME ODDERAEDS				
25/10	•				
l l					

Approved For Release 2000/04/15/ECGEA-RDP78B04560A004700010026-9

R-198/65

ſ	Target	Coordinates	WAC	Target Numbers	
}	ı argaı	Coordinates	- "^	BE	NPIC
25X1D	VESSELS NONE OBSERVED.				
25X1D					
25X1D	SONG GIANG (RIVER) NAVALAREA VESSELS NONE OBSERVED.	1742N 1Ø629E	Ø617 a		288-F
25X1D					
25X1D	VESSELS NONE OBSERVED.				
25X1D	VESSELS NONE OBSERVED.				
25X1A 25X1D		1743N 10626E	Ø617 ·	St. of Proof	102-D
25X1[
25X1D					
25X1D	VESSELS NONE OBSERVED.				

Approved For Release 2000/04/17: CIA-RDP78B04560A004700010026-9 SECRET NO FOREIGN DISSEM

R-198/65

Target Numbers WAC Target Coordinates VESSELS -- NONE OBSERVED. 25X1D SONG CA (RIVER) NAVAL AREA 1839N 10542E Ø617 128-D1 25X1D VESSELS -- 3 POSSIBLE SWATOW 25X1D 25X1D 25X1D VESSELS -- 2 CAMOUFLAGED SWATOW 25X1D VESSELS -- :3 SWATOW OFF EAST BANK AT 25X1D 25X1D AND 3 SWATOW OFF WEST BANK 25X1D VESSELS -- 3 CAMOUFLAGED SWATOW 25X1D 2 CAMOUFLAGED SWATOW 25X1D 25X1D 25X1D 25X1D AND 2 PROBABLE PATROL CRAFT AT 25X1D . 7 VESSELS -- 3 CAMOUFLAGED SWATOW UNDERWAY AT 25X1D

Approved For Release 2000/04/13/ECREA-RDP78B04560A004700010026-9 25X1A

R-198/65

NO FOREIGN DISSEM

Target Numbers WAC Target Coordinates BE NPIC 25X1D 25X1D VESSELS -- 4 SWATOW OFF WEST BANK 25X1D PHUC LOI NAVAL BASE 1844N : 10545E Ø617 128-M 25X1A COMOR TARGET NO 25X1D VESSELS -- NONE OBSERVED. 25X1D SONG MATERIAL AREA 1948N 10555E 0617 126-N1 25X1D VESSELS -- NONE OBSERVED. 25X1D VESSELS. == 2 CAMOUFEAGED):PROBABLE (SWATOW OFF) EAST BANK OF RIVER 25X1D 25X1D

Approved For Release 2000/04/17 : CIA-RDP78B04560A004700010026-9 SECRET NO FOREIGN DISSEM

R-198/65

Target Numbers WAC Target Coordinates ВE NPIC *25X1D VESSELS -- NONE OBSERVED. 25X1D

Approved For Release 2000/04/17: CIA-RDP78B04560A004700010026-9

APPENDIX

COLUMN HEADINGS

City, Installation--This column contains the name of the city or town nearest the installation, followed by the name of the installation. If the name of the installation is not known, it is titled according to its function. Where appropriate, the city and installation names are followed by a capsule description.

<u>Coordinates</u>--Coordinates are referenced to the SW corner of the minute square. When the subject installation covers a wide area, coordinates are given for the approximate center of the installation.

 $\underline{WAC} ext{--}This$ column provides the World Aeronautical Chart number for that area in which the subject installation is situated.

Installation Numbers--This column is divided into two subcolumns. The first subcolumn lists, when known, the BE installation number assigned to the installation. The second subcolumn lists the installation number assigned by NPIC. Installation numbers, when used to reference an item, should be prefixed by the appropriate WAC number, since installation numbers are repeated from WAC to

WAC. For example, there is an NPIC target number 0499-15-A and an NPIC target number 0498-15-A. In each instance, the NPIC installation number is 15-A, but the installations appear on different WAC charts.

COMOR TARGET NUMBERS

Target numbers assigned by the Committee on Overhead Reconnaissance (COMOR), when available, are listed directly above the photo reference data.

PHOTO REFERENCE DATA

The photo reference data indicates the $\mbox{frame}(s)$ on which the installation appears.

CONDITIONS AFFECTING PHOTOGRAPHY

Following the photo reference data, symbols indicate conditions which affect the appearance of the installation on the photography. The symbols are: C (clear); SC (scattered clouds); HC (heavy clouds); SC-HC (scattered-to-heavy clouds); H (haze); CS (cloud shadow); SD (semi-darkness); O (obliquity); and PQ (poor image quality).

SECRET OF FOREIGN DISSEM

SECRET 10 FOREIGN DISSEM